AMENDED IN ASSEMBLY APRIL 22, 1996 AMENDED IN ASSEMBLY APRIL 15, 1996 AMENDED IN ASSEMBLY APRIL 8, 1996 AMENDED IN ASSEMBLY MARCH 27, 1996

CALIFORNIA LEGISLATURE—1995-96 REGULAR SESSION

ASSEMBLY BILL

No. 3198

Introduced by Assembly Member Rainey

February 23, 1996

An act to add Section 25163.5 to the Health and Safety Code, relating to hazardous waste.

LEGISLATIVE COUNSEL'S DIGEST

- AB 3198, as amended, Rainey. Hazardous waste consolidation remedial action sites: transportation storage.
- (1) Existing hazardous waste control laws administered by the Department of Toxic Substances Control require any person producing a hazardous waste to provide the person who will transport the hazardous waste with an applicable manifest that is completed as required by the department. Existing law prohibits the transportation of hazardous waste by any person unless the person holds a registration issued by the department.

Existing law requires a hazardous waste storage facility to obtain a hazardous waste facilities permit, or other grant of authorization, and defines the term storage facility as

AB 3198 — 2 —

excluding hazardous waste held for remediation waste staging, as specified.

Existing law deems hazardous waste initially collected at a remote site, as defined, and subsequently transported to a consolidation site, as defined, to have been generated at the consolidation site, if the waste is non-RCRA hazardous waste, defined, or not subject to RCRA, and if specified requirements are met, including if the hazardous waste is not generated through large spill cleanup activities, as defined, the hazardous waste is transported to the consolidation within 10 days of managing the hazardous waste, and the generator maintains specified information at the consolidation site. A person who initially collects any such hazardous waste at a remote site and transports the hazardous waste to a consolidation site operated by the generator is exempt from complying with the requirements for possession of a manifest and registration as a hazardous waste transporter with regard to the hazardous waste.

A violation of the laws regulating hazardous waste is a crime.

This bill would provide that certain hazardous waste will be deemed to be generated at allow a generator to establish a remedial action consolidation site, as defined, which has not obtained a hazardous waste facilities permit, if the hazardous waste transported to the site is a bulk non-RCRA hazardous waste generated in the course of a removal or remedial action, the remedial action consolidation site is operated by, or on behalf of, the generator, the hazardous waste is initially collected at a removal or remedial action site and subsequently transported to the remedial action consolidation site, and specified requirements are met with regard to the management of waste, including the the hazardous completion of a single project master manifest for the transport of all similar types of hazardous waste removed from a contiguous location at the removal or remedial action site. specify related responsibilities The bill would department.

The bill would require *the* transport of hazardous waste to a remedial action consolidation site to occur in vehicles that are certified, except that, if both this bill and AB 2201 are

—3— **AB 3198**

enacted and both bills become effective on or before January 1, 1997, the bill would instead require the transport to meet specified statutory requirements.

Since a violation of the bill's requirements would be a crime, the bill would impose a state-mandated local program by redefining a crime.

(2) The California Constitution requires the reimburse local agencies and school districts for certain costs by the Statutory provisions mandated state. procedures for making that reimbursement.

This bill would provide that no reimbursement is required by this act for a specified reason.

Vote: majority. Appropriation: no. Fiscal committee: yes. State-mandated local program: yes.

The people of the State of California do enact as follows:

- SECTION 1. Section 25163.5 is added to the Health and Safety Code, to read:
- 3 25163.5. (a) For purposes of this section, "remedial action consolidation site" means a site at which bulk non-RCRA hazardous waste initially generated in the course of a removal or remedial action is transported to be consolidated prior to shipment for disposal.
- A generator may establish a remedial action 8 (b) 9 consolidation site to facilitate a remedial action.

- (c) Hazardous waste initially collected at a removal or 11 remedial action site may be transported to a remedial action consolidation site that has not been issued a hazardous waste permit pursuant to Section 25200, if all of the following conditions are met:
- (1) The hazardous waste is bulk non-RCRA hazardous 15 16 waste generated in the course of a removal or remedial 17 action and is transported to the remedial 18 consolidation site for purposes of accumulation preparation for transport to its final destination. 19
- (2) The remedial action consolidation site is operated 20 by, or on behalf of, the generator of the hazardous waste. 21
- 22 (3) The hazardous waste is managed in the following 23 manner:

AB 3198

1

5

9

10 11

12

15

17

19

21

22

29

(A) The hazardous waste is transported by generator of the hazardous waste to the remedial action consolidation site or is transported to the remedial action consolidation site by a registered hazardous waste hauler operating under a contract with the generator. Prior to shipment from the remote site to the remedial action consolidation site, the hazardous waste shall be fully characterized and arrangements shall be made appropriate handling.

- (B) Each transport occurs in vehicles that are certified pursuant to Section 25168.3.
- (C) The person transporting the hazardous waste has 13 obtained an endorsement pursuant to Section 15278 of 14 the Vehicle Code.
- (D) Each transport shall be accompanied by a bill of 16 lading identifying the load number, date, time, truck identification number, driver, shipment origination 18 location, and shipment destination.
- (E) The generator maintains a copy of the bill of lading 20 for at least three years following completion of the removal or remedial action.
- (F) The hazardous waste is not handled at any interim 23 site en route from the removal or remedial action site to the remedial action consolidation site or between the final remedial action consolidation site and the destination site. A manifest shall accompany all shipments of hazardous waste from the consolidation site in compliance with Section 25160.
- (G) The hazardous waste is managed at all times at the 30 remedial action consolidation site in accordance with all requirements of this chapter 32 regulations adopted by the department pursuant to this chapter. Hazardous waste may be accumulated at the 34 remedial action consolidation site, but in no case may 35 hazardous waste be accumulated at the remedial action 36 consolidation site for longer than 30 days from the date that the waste is first delivered to the site. A remedial action consolidation site may not be operated for periods of greater than one year without a variance or without first obtaining a permit pursuant to Section 25200.

—5— AB 3198

(H) All hazardous waste transported to a remedial action consolidation site is placed only on concrete, pavement, asphalt, or high density polyethylene of at pavement, or asphalt, over which is placed high density polyethylene of at least 60 mil thickness and the storage of the hazardous waste meets either of the following requirements:

1

5

6

8

9

11

12

13

17

21 22

30

33

34

35

37

- (i) The hazardous waste is contained in a locked permanent or temporary building to prevent run-on and 10 run-off.
- (ii) The hazardous waste is stored in hazardous waste piles at a site where access is restricted by fences of at least six feet in height, appropriate measures are taken to 14 prevent erosion by wind and rain, and the hazardous 15 waste piles are covered with tarps or kept moist at all 16 times. If the hazardous waste piles are not tarped, run-on times, run-on to the site is appropriately controlled, and 18 all run-off from the site, and leachate from the hazardous 19 waste collected, tested piles. are for characteristics, and disposed of in accordance with the requirements governing disposal of the hazardous waste.
- (I) The remedial action consolidation site is located in 23 a commercial, industrial, open-space, agricultural, other similar appropriate land use zone, and is sufficient distance from other land uses to ensure that use of the site will not pose significant risk of exposure to hazardous waste to occupants of a building or structure used for the purposes specified in paragraph (1) of subdivision (b) of Section 25232.
 - (J) The remedial action consolidation site is posted with signs in English, and one or more other languages, if appropriate, that are consistent with the ethnicity of the surrounding community, identifying the location as a hazardous waste site.
- (d) The department may revoke generator's a 36 authority to operate a remedial action consolidation site pursuant to this section, in accordance procedures specified in Section 25187, if the generator pattern demonstrates a of failure requirements of this section and the department notifies

AB 3198 -6-

4

5

8 9

12

13

21

22

23

27

32

37

the generator of those violations prior to issuing an order pursuant to Section 25187 to revoke permission to operate the remedial action consolidation site.

- (e) Nonhazardous waste, such as rock and brick, may separated from the non-RCRA hazardous waste collected at a remedial action consolidation site, and that activity shall not be considered treatment of a hazardous
- (f) Upon completion of the use of the remedial action 10 consolidation site for purposes of this section, generator shall comply with all of the following requirements:
- (1) The generator shall remove all pavement, 14 concrete, and asphalt where the hazardous waste was placed or clean the pavement, concrete, and asphalt to 16 the satisfaction of the CUPA, or if not under the jurisdiction of a CUPA, to the satisfaction of the officer or 18 agency authorized pursuant to subdivision (f) of Section 19 25404.3 to implement and enforce the requirements of 20 this chapter listed in paragraph (1) of subdivision (c) of Section 25404.
 - (2) The generator shall remove pavement, concrete, and any underlying material asphalt, that contains residual concentrations of hazardous waste at levels posing a significant risk to public health that cannot otherwise be eliminated.
- (3) The remedial action consolidation site shall be 28 certified clean and in compliance with this subdivision and closed by the CUPA, or, if no CUPA has jurisdiction, 30 by the local health officer or other local public officer designated pursuant to Section 25180.
- (g) (1) A generator who proposes operate to action 33 remedial consolidation site shall submit 34 notification of the generator's intent to operate prior to 35 commencing operation, either in person or by certified 36 mail, with return receipt requested, to the department and to one of the following:
- if the generator is (A) The CUPA, 38 under the 39 jurisdiction of a CUPA.

—7 — **AB 3198**

(B) If the generator is not under the jurisdiction of a CUPA, the officer or agency authorized pursuant to subdivision (f) of Section 25404.3 to implement and enforce the requirements of this chapter listed in paragraph (1) of subdivision (c) of Section 25404.

1

5

6

8

9

10

12

13 14

15

17

21 22

23

- (2) That notification shall be submitted at annually thereafter for as long as the operation continues.
- (3) The notification shall include all of the following information:
- (A) A general description of the removal or remedial action site from which the hazardous waste will be initially collected.
- (B) The location of the remedial action consolidation site and the generator's generator ID number.
- (C) A certification of the generator's compliance with 16 this section.
- (h) The removal or remedial action site from which 18 the hazardous waste will be initially collected shall comply with all applicable requirements of this chapter for removal and remedial action sites.
 - SEC. 2. Section 25163.5 is added to the Health and Safety Code, to read:
- 25163.5. (a) For purposes of this section, "remedial 24 action consolidation site" means a site at which bulk non-RCRA hazardous waste initially generated in the course of a removal or remedial action is transported to be consolidated prior to shipment for disposal.
- A generator may establish a remedial action 28 29 consolidation site to facilitate a remedial action.
- (c) Hazardous waste initially collected at a removal or 31 remedial action site may be transported to a remedial 32 action consolidation site that has not been issued a hazardous waste permit pursuant to Section 25200, if all 34 of the following conditions are met:
- 35 (1) The hazardous waste is bulk non-RCRA hazardous 36 waste generated in the course of a removal or remedial 37 action and is transported to the remedial consolidation site for purposes of accumulation 38 preparation for transport to its final destination.

AB 3198 **—8** —

5

13

14

17

20

24

27

32

33

34

(2) The remedial action consolidation site is operated by, or on behalf of, the generator of the hazardous waste.

- (3) The hazardous waste is managed in the following manner:
- (A) The hazardous waste is transported by generator of the hazardous waste to the remedial action consolidation site or is transported to the remedial action consolidation site by a registered hazardous waste hauler operating under a contract with the generator. Prior to 10 shipment from the remote site to the remedial action consolidation site, the hazardous waste shall be fully 12 characterized and arrangements shall be made appropriate handling.
- (B) Each transport occurs in vehicles that meet the 15 requirements for vehicles transporting hazardous waste 16 as set forth in this section and the Vehicle Code.
- (C) The person transporting the hazardous waste has 18 obtained an endorsement pursuant to Section 15278 of the Vehicle Code.
- (D) Each transport shall be accompanied by a bill of 21 lading identifying the load number, date, time, truck 22 identification number, driver, shipment origination 23 location, and shipment destination.
- (E) The generator maintains a copy of the bill of lading 25 for at least three years following completion of the removal or remedial action.
- (F) The hazardous waste is not handled at any interim 28 site en route from the removal or remedial action site to the remedial action consolidation site or between the 30 remedial action consolidation site and final the destination site. A manifest shall accompany all shipments of hazardous waste from the consolidation site in compliance with Section 25160.
- (G) The hazardous waste is managed at all times at the 35 remedial action consolidation site in accordance with all 36 applicable requirements of this chapter 37 regulations adopted by the department pursuant to this 38 chapter. Hazardous waste may be accumulated at the remedial action consolidation site, but in no case may 40 hazardous waste be accumulated at the remedial action

—9— AB 3198

consolidation site for longer than 30 days from the date that the waste is first delivered to the site. A remedial action consolidation site may not be operated for periods of greater than one year without a variance or without first obtaining a permit pursuant to Section 25200.

5

6

10

12

13 14

16 17

24

27

34

35

- (H) All hazardous waste transported to a remedial action consolidation site is placed only on concrete, pavement, asphalt, or high density polyethylene of at pavement, or asphalt, over which is placed high density polyethylene of at least 60 mil thickness and the storage of the hazardous waste meets either of the following requirements:
- (i) The hazardous waste is contained in a locked permanent or temporary building to prevent run-on and 15 runoff.
- (ii) The hazardous waste is stored in hazardous waste piles at a site where access is restricted by fences of at least 18 six feet in height, appropriate measures are taken to prevent erosion by wind and rain, and the hazardous 20 waste piles are covered with tarps or kept moist at all 21 times. If the hazardous waste piles are not tarped, run-on times, run-on to the site is appropriately controlled, and all runoff from the site, and leachate from the hazardous hazardous waste piles, are collected, tested for characteristics, and disposed of in accordance with the requirements governing disposal of the hazardous waste.
- (I) The remedial action consolidation site is located in 28 a commercial, industrial, open space, agricultural, other similar appropriate land use zone, and is sufficient distance from other land uses to ensure that use of the site will not pose significant risk of exposure to hazardous waste to occupants of a building or structure used for the purposes specified in paragraph (1) of subdivision (b) of Section 25232.
- (J) The remedial action consolidation site is posted 36 with signs in English, and one or more other languages, if appropriate, that are consistent with the ethnicity of the surrounding community, identifying the location as a hazardous waste site.

AB 3198 **— 10 —**

1

10 11

12 13

15

17

19

21

27

28

32

33

37

(d) The department may revoke generator's authority to operate a remedial action consolidation site pursuant to this section, in accordance procedures specified in Section 25187, if the generator a pattern of failure to demonstrates meet requirements of this section and the department notifies the generator of those violations prior to issuing an order pursuant to Section 25187 to revoke permission to operate the remedial action consolidation site.

- (e) Nonhazardous waste, such as rock and brick, may separated from the non-RCRA hazardous waste collected at a remedial action consolidation site, and that activity shall not be considered treatment of a hazardous 14 waste.
- (f) Upon completion of the use of the remedial action 16 consolidation site for purposes of this section, generator shall comply with all of the following 18 requirements:
- generator shall (1) The remove all pavement, 20 concrete, and asphalt where the hazardous waste was placed or clean the pavement, concrete, and asphalt to 22 the satisfaction of the CUPA, or if not under the 23 jurisdiction of a CUPA, to the satisfaction of the officer or 24 agency authorized pursuant to subdivision (f) of Section 25 25404.3 to implement and enforce the requirements of 26 this chapter listed in paragraph (1) of subdivision (c) of Section 25404.
- (2) The generator shall remove pavement, concrete, and any underlying material 30 residual concentrations of hazardous waste at levels posing a significant risk to public health that cannot otherwise be eliminated.
- (3) The remedial action consolidation site shall be 34 certified clean and in compliance with this subdivision and closed by the CUPA, or, if no CUPA has jurisdiction, 36 by the local health officer or other local public officer designated pursuant to Section 25180.
- 38 (g) (1) A generator who proposes to operate remedial action consolidation site shall submit notification of the generator's intent to operate prior to

— 11 — **AB 3198**

commencing operation, either in person or by certified mail, with return receipt requested, to the department and to one of the following:

(A) The CUPA, if the generator is under the jurisdiction of a CUPA.

4

5

6

10 11

12 13

15

17

19

20

21

22

25

26 27

- (B) If the generator is not under the jurisdiction of a CUPA, the officer or agency authorized pursuant to subdivision (f) of Section 25404.3 to implement and enforce the requirements of this chapter paragraph (1) of subdivision (c) of Section 25404.
- (2) That notification shall be submitted at least annually thereafter for as long as the operation continues.
- (3) The notification shall include all of the following 14 information:
- (A) A general description of the removal or remedial 16 action site from which the hazardous waste will be initially collected.
 - (B) The location of the remedial action consolidation site and the generator's generator ID number.
 - (C) A certification of the generator's compliance with this section.
 - (h) The removal or remedial action site from which the hazardous waste will be initially collected shall comply with all applicable requirements of this chapter for removal and remedial action sites.
- SEC. 3. Section 25163.5 of the Health and Safety Code, as added by Section 2 of this act, shall become operative only if both this bill and Assembly Bill 2201 are enacted and both bills become effective on or before January 1, 30 1997, in which case Section 25163.5 of the Health and Safety Code, as added by Section 1 of this act, shall not become operative.
- 33 SEC. 4. No reimbursement is required by this act 34 pursuant to Section 6 of Article XIII B of the California 35 Constitution because the only costs that may be incurred 36 by a local agency or school district will be incurred 37 because this act creates a new crime or infraction, eliminates a crime or infraction, or changes the penalty for a crime or infraction, within the meaning of Section 17556 of the Government Code, or changes the definition

— 12 — AB 3198

- 1 of a crime within the meaning of Section 6 of Article
- 2 XIII B of the California Constitution.
- Notwithstanding Section 17580 of the Government Code, unless otherwise specified, the provisions of this act
- 5 shall become operative on the same date that the act
- 6 takes effect pursuant to the California Constitution.